

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	12	(encapsulation decapsulation) adj chain\$1 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:07
S2	7	(encapsulation decapsulation) adj chain\$1 and virtual\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 15:34
S3	855	(creat\$4 generat\$4) near10 chain\$1 and @ad<"20040414" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 15:37
S4	3	(creat\$4 generat\$4) near10 chain\$1 same (encap\$10 decap\$10) and @ad<"20040414" and ("709".clas. "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 15:49
S5	2	"6499064".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:24
S6	2	"20030236918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:17
S7	3	"6601106".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:03
S8	8	physical\$4 near10 virtual \$4 near10 interfac\$6 near10 encapsulat\$6 and @ad<"20040424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:03
S9	7	physical\$4 near10 virtual \$4 near10 interfac\$6 near10 encapsulat\$6 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:05

S10	0	physical\$4 near10 virtual \$4 near10 card\$4 near10 encapsulat\$6 and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:06
S11	4	physical\$4 near10 virtual \$4 near10 encapsulat\$6 and @ad< "20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:07
S12	0	physical\$4 near10 virtual \$4 near10 dencapsulat\$6 and @ad< "20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:07
S13	10	port\$4 near10 generat\$4 near10 encapsulat\$6 and @ad< "20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:09
S14	0	port\$4 near10 (creat\$4 generat\$4) near10 stack \$4 near10 encapsulat\$6 and @ad< "20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:09
S15	0	card\$4 near10 (creat\$4 generat\$4) near10 stack \$4 near10 encapsulat\$6 and @ad< "20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:10
S16	3	card\$4 near10 (creat\$4 generat\$4) near10 stack \$4 and @ad< "20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:10
S17	4	element\$4 near10 (creat \$4 generat\$4) near10 (encapsulat\$10 decapsulat \$4) near10 (port\$1 card\$1 physical\$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:16
S18	13	(tunnel\$4 virtual\$4) near10 interfac\$4 near10 (encapsulat\$6 decapsulat \$6) near10 (creat\$4 generat\$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/16 16:18
S19	5	"6507874"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/09 23:22

S20	2	"6507874".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 08:40
S21	1	(encapsulation decapsulation) adj chain\$1 and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:07
S22	3	"7006532".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:17
S23	0	creat\$4 near10 tunnel\$4 near10 interfac\$4 near10 physical\$4 near5 port\$1 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:25
S24	2	creat\$4 near10 tunnel\$4 near10 interfac\$4 near10 physical\$4 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:26
S25	54	creat\$4 near10 virtual\$4 near10 interfac\$4 near10 physical\$4 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:26
S26	14	creat\$4 near10 virtual\$4 near10 interfac\$4 near10 physical\$4 and @ad<"20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:28
S27	15	creat\$4 near10 (tunnel\$4 virtual\$4) near10 (stack\$1 interfac\$4) near10 physical \$4 and @ad<"20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:29
S28	19	(generat\$4 creat\$4) near10 (tunnel\$4 virtual \$4) near10 (stack\$1 interfac\$4) near10 physical \$4 and @ad<"20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:30
S29	4	(generat\$4 creat\$4) near10 (tunnel\$4 virtual \$4) near10 (stack\$1 interfac\$4) near10 physical \$4 and @ad<"20040414" and "709".clas. not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:31

S30	21	(generat\$4 creat\$4) near10 (tunnel\$4 virtual \$4) near10 (stack\$1 interfac\$4) near10 port\$1 and @ad<"20040414" and "709".clas. not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/25 09:31
S31	1	(encapsulation decapsulation) adj chain\$1 and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 18:15
S32	5	(encapsulation decapsulation) near5 (module\$1 chain\$1) near10 tunnel\$4 and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 18:16
S33	0	(creat\$4 generat\$4 install \$4) near10 (encapsulation decapsulation) near5 (module\$1 chain\$1) near10 tunnel\$4 and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 18:17
S34	474	(creat\$4 generat\$4 install \$4) near10 (encapsulat\$4 decapsulat\$4) near10 (interfac\$4 tunnel\$4) and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 18:20
S35	154	(creat\$4 generat\$4 install \$4) near10 (encapsulat\$4 decapsulat\$4) near10 (virtual adj interfac\$4 tunnel\$4) and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 18:21
S36	6	(creat\$4 generat\$4 install \$4) near10 (encapsulat\$4 decapsulat\$4) near10 (virtual adj interfac\$4) and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 18:21
S37	1	(creat\$4 generat\$4 install \$4) near10 (encapsulat\$4 decapsulat\$4) near10 (tunnel\$4 adj interfac\$4) and @ad<"20040414" not cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 18:22

S38	14	("5267239" "5745758" "5764920" "5867666" "5982783" "5983269" "6092110" "6160811" "6219706" "6226267" "6236660" "6240084" "6320848" "6385194"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/01 18:43
S39	7	config\$10 near10 virtual\$4 near5 interfac\$4 near10 (encapsulat\$4 decapsulat \$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:18
S40	4	config\$10 near10 virtual\$4 adj interfac\$4 same (encapsulat\$4 decapsulat \$10) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:22
S41	5	config\$10 near10 ((tunnel \$1 virtual\$4) adj interfac \$4) same (encapsulat\$4 decapsulat\$10) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:23
S42	45	config\$10 near10 ((tunnel \$1 virtual\$4) adj interfac \$4) same (pass\$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:25
S43	1	config\$10 near10 ((tunnel \$1 virtual\$4) adj interfac \$4) same (pipelin\$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:31
S44	0	install\$4 near10 ((tunnel \$1 virtual\$4) adj interfac \$4) same (pipelin\$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:34
S45	1	((tunnel\$1 virtual\$4) adj interfac\$4) same (pipelin \$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:34
S46	1	((tunnel\$4 virtual\$4) adj interfac\$4) same (pipelin \$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:36
S47	30	((tunnel\$4 virtual\$4) near5 interfac\$4) same (pipelin\$4) and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:36

S48	4	((tunnel\$4 virtual\$4) near5 interfac\$4) same (pipelin\$4) and @ad<"20040414" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:36
S49	71	(tunnel\$4 virtual\$4 near5 interfac\$4) same (pipelin\$4) near10 (generat\$4 creat\$4) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:41
S50	17	(tunnel\$4 virtual\$4 near5 interfac\$4) same (pipelin\$4) near10 (generat\$4 creat\$4) and rout\$5 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:41
S51	112	(tunnel\$4 virtual\$4 near5 interfac\$4) same module \$1 near10 (generat\$4 creat\$4) and @ad<"20040414" and ("709".clas. "370".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:47
S52	9	(tunnel\$4 virtual\$4 near5 interfac\$4) same (encapsulat\$10 decapsulat\$10 encrypt\$10 decrypt\$10 routing) near10 module\$1 near10 (generat\$4 creat\$4) and @ad<"20040414" and ("709".clas. "370".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:50
S53	15	(tunnel\$4 virtual\$4 near5 interfac\$4) same (encapsulat\$10 decapsulat\$10 encrypt\$10 decrypt\$10 routing) near10 (engine\$1 element\$1) near10 (generat\$4 creat\$4) and @ad<"20040414" and ("709".clas. "370".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 20:52
S54	215	((tunnel\$4 virtual\$4) near5 interfac\$4) same physical adj interfac\$4 and @ad<"20040414" and ("709".clas. "370".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 21:43
S55	26	(generat\$4 creat\$4) near10 ((tunnel\$4 virtual\$4) near5 interfac\$4) same physical adj (port\$1 interfac\$4) and @ad<"20040414" and ("709".clas. "370".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/01 21:45

S56	0	(generat\$4 creat\$4) near10 ((tunnel\$4 virtual \$4) near5 interfac\$4) same physical adj (port\$1 interfac\$4) same (encapsulat\$6 decapsulat \$4 encrypt\$4 decrypt\$4) and @ad<"20040414" and ("709".clas. "370".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:38
S57	21	((tunnel\$4 virtual\$4) near5 interfac\$4) same physical adj (port\$1 interfac\$4) same (encapsulat\$6 decapsulat \$4 encrypt\$4 decrypt\$4) and @ad<"20040414" and ("709".clas. "370".clas. "713".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:38
S58	0	generat\$4 near10 translat \$4 near10 (program\$1 module\$1) near10 (tunnel \$4 virtual) near3 interfac \$4 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:48
S59	88	creat\$4 near10 (program \$1 module\$1) near10 (tunnel\$4 virtual) near3 interfac\$4 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:48
S60	28252878	creat\$4 near10 (program \$1 module\$1) near10 (tunnel\$4 virtual) near3 interfac\$4 near10 need \$4and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:48
S61	1	creat\$4 near10 (program \$1 module\$1) near10 (tunnel\$4 virtual) near3 interfac\$4 near10 need\$4 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:48
S62	6	creat\$4 near10 (program \$1 module\$1) near10 (tunnel\$4 virtual) near3 interfac\$4 same need\$4 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:49
S63	2	creat\$4 near10 (program \$1 module\$1) near10 (tunnel\$4 virtual) near3 interfac\$4 same (encapsulat\$4 decapsulat \$4 encrypt\$4 decrypt\$4) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:50

S64	88	creat\$4 near10 (program \$1 module\$1) near10 (tunnel\$4 virtual) near3 interfac\$4 and @ad< "20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/02 08:52
S65	2	"US 20050251582"	US-PGPUB; USPAT; USOCR; DERWENT	OR	OFF	2008/04/04 09:19

4/ 4/ 08 2:47:58 PM

C:\ Documents and Settings\ JAvellino\ My Documents\ EAST\ Workspaces\ 10\ 824725.w sp